

XENARC COOL BLUE INTENSE

Extra-blue xenon light



Xenon extra blue

Extra blue light due to a special filling system used instead of conventional coating



Up to 6,000 Kelvin

High contrast and brilliantly blue light for most stylish and modern look on the road



Up to 20% more light

For better visibility and shorter reaction times compared to standard xenon lamps



The extra-blue xenon light with up to 6,000 K

XENARC COOL BLUE INTENSE – discover that modern look at high power! With its extra blue, high-contrast xenon light, this automotive lamp appeals especially to customers who like the perfect combination of stylish and individual design with exceptional road illumination. The high-tech xenon light with color temperatures of up to 6,000 Kelvin comes up with a highly efficient technology, brilliant effect and no-compromise design. Thanks to a special filling system which is used instead of conventional coating the lamp emits its extra blue light. This stylish light creates a high-attention effect that helps you to be better seen by other motorists. Discover the exceptionally bright, high-contrast and brilliantly blue light with up to 6,000 Kelvin and 20% more light! With XENARC COOL BLUE INTENSE, the night turns into day. Please note: XENARC lamp change is recommended to be carried out by a professional.

Product family datasheet

Technical data

Product description	Electrical data				Photometrical data		Dimensions & weight
	Power input	Nominal voltage	Nominal wattage	Test voltage	Luminous flux	Luminous flux tolerance	Diameter
XENARC COOL BLUE INTENSE D1S ¹⁾	35 W	85.0 V	35.00 W	13.5 V	3200 lm	±15 %	9 mm
XENARC COOL BLUE INTENSE D1R ¹⁾	35 W	85.0 V	35.00 W	13.5 V	2800 lm	±16 %	9 mm
XENARC COOL BLUE INTENSE D2S ¹⁾	35 W	85.0 V	35.00 W	13.5 V	3200 lm	±15 %	9 mm
XENARC COOL BLUE INTENSE D3S ¹⁾	35 W	42.0 V	35.00 W	13.5 V	3200 lm	±15 %	9 mm
XENARC COOL BLUE INTENSE D4S ¹⁾	35 W	42.0 V	35.00 W	13.5 V	3200 lm	±15 %	9 mm

Product description	Lifespan		Capabilities	Certificates & standards	Environmental information	
	Lifespan B3	Lifespan Tc	Technology	ECE category	Date of Declaration	Primary Article Identifier
XENARC COOL BLUE INTENSE D1S ¹⁾	1800 h	2800 h	HID	D1S ²⁾	25-11-2021	4008321401472 4008321401458 4052899220720 4052899263499 4052899431577 4052899431645 4052899431669 4052899431621 4052899477742 4062172078764
XENARC COOL BLUE INTENSE D1R ¹⁾	1500 h	2000 h	HID	D1R ²⁾	25-11-2021	4008321401373 4052899309524 4052899339903
XENARC COOL BLUE INTENSE D2S ¹⁾	1800 h	2800 h	HID	D2S ²⁾	25-11-2021	4008321401311 4008321401359 4052899431744 4052899431706 4052899431683 4052899477803 4052899431720
XENARC COOL BLUE INTENSE D3S ¹⁾	2000 h	3000 h	HID	D3S ²⁾	25-11-2021	4052899014992 4052899148710 4052899431768 4052899431782 4052899431812 4052899431836 4052899477865 4062172076050
XENARC COOL BLUE INTENSE D4S ¹⁾	2000 h	3000 h	HID	D4S ²⁾	25-11-2021	4052899125582 4052899125612 4052899431911 4052899431874 4052899431850 4052899477896

Product family datasheet





Product description	Candidate List Substance 1	CAS No. of substance 1	Declaration No. in SCIP database	Safe Use Instruction
XENARC COOL BLUE INTENSE D1S ¹⁾	No declarable substances contained	No CAS	No declarable substances contained	
XENARC COOL BLUE INTENSE D1R ¹⁾	Lead	7439-92-1	ecdcec2a-6d88-439a-b6ce-687c77b20030	The identification of the Candidate List substance is sufficient to allow safe use of the article.
XENARC COOL BLUE INTENSE D2S ¹⁾	No declarable substances contained	No CAS	No declarable substances contained	
XENARC COOL BLUE INTENSE D3S ¹⁾	Lead	7439-92-1	b1d80aea-c85a-4d25-947d-4eeabeaed16c	The identification of the Candidate List substance is sufficient to allow safe use of the article.
XENARC COOL BLUE INTENSE D4S ¹⁾	No declarable substances contained	No CAS	No declarable substances contained	

¹⁾ Reduced UV emission/For projection headlights/ECE approval and DOT label

²⁾ To be operated only with approved electronic control gear

Product family datasheet

Download Data

File	
	360 Degree Image XENARC COOL BLUE INTENSE D1S 66140CBI 66140CBN
	360 Degree Image XENARC COOL BLUE INTENSE D2S 66240CBI 66240CBN
	360 Degree Image XENARC COOL BLUE INTENSE D3S 66340CBI 66340CBN
	360 Degree Image XENARC COOL BLUE INTENSE D4S 66440CBI 66440CBN

Safety advice

XENARC lamp change is recommended to be carried out by a professional.

Legal advice

ECE approval

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

