

## ULTRA LIFE

Up to four times longer lifetime




### Extra lifetime

Up to four times longer lifetime compared to standard auxiliary lamps



### More durability

For longer replacement cycles and additional reliability and comfort



### Wide product range

Fits for most common auxiliary lamp types



### The durable light with up to four times longer lifetime

With ULTRA LIFE, you choose durable signal lamps for your car. The lamps provide a long life span - up to four times longer lifetime compared to standard lamps - and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). They are therefore ideal for frequent drivers.

Product family datasheet

Technical data

| Product description            | Electrical Data |                 |                 |                       |              | Photometric Data      |
|--------------------------------|-----------------|-----------------|-----------------|-----------------------|--------------|-----------------------|
|                                | Power input     | Nominal voltage | Nominal wattage | Power input tolerance | Test voltage | Nominal luminous flux |
| ULTRA LIFE C5W                 | 5 W             | 12 V            | 5 W             | ±10 %                 | 13.5 V       | 45 lm                 |
| ULTRA LIFE H6W                 | 7 W             | 12 V            | 6 W             | ±5 %                  | 13.5 V       | 125 lm                |
| ULTRA LIFE P21/5W              | 25 / 6 W        | 12 V            | 21/5 W          | ±6 / ±10 %            | 13.5 V       | 440/35 lm             |
| ULTRA LIFE P21W                | 25 W            | 12 V            | 21 W            | ±6 %                  | 13.5 V       | 460 lm                |
| ULTRA LIFE PY21W <sup>1)</sup> | 25 W            | 12 V            | 21 W            | ±6 %                  | 13.5 V       | 280 lm                |
| ULTRA LIFE R10W                | 10 W            | 12 V            | 10 W            | ±10 %                 | 13.5 V       | 125 lm                |
| ULTRA LIFE R5W                 | 5 W             | 12 V            | 5 W             | ±10 %                 | 13.5 V       | 50 lm                 |
| ULTRA LIFE W5W                 | 5 W             | 12 V            | 5 W             | ±10 %                 | 13.5 V       | 50 lm                 |

| Product description            | Physical Attributes & Dimensions |         |          | Lifetime Data               |
|--------------------------------|----------------------------------|---------|----------|-----------------------------|
|                                | Lamp base                        | Length  | Diameter | Lifespan B3                 |
| ULTRA LIFE C5W                 | SV8.5-8                          | 36.0 mm | 11.0 mm  | 1500 hr                     |
| ULTRA LIFE H6W                 | BAX9s                            | 33.0 mm | 9 mm     | 600 hr                      |
| ULTRA LIFE P21/5W              | BAY15d                           | 52.5 mm | 25.0 mm  | 300 / 3000 hr <sup>2)</sup> |
| ULTRA LIFE P21W                | BA15s                            | 52.5 mm | 25.0 mm  | 500 hr                      |
| ULTRA LIFE PY21W <sup>1)</sup> | BAU15s                           | 52.5 mm | 25.0 mm  | 500 hr                      |
| ULTRA LIFE R10W                | BA15s                            | 37.5 mm | 16.0 mm  | 600 hr                      |
| ULTRA LIFE R5W                 | BA15s                            | 37.5 mm | 16.0 mm  | 600 hr                      |
| ULTRA LIFE W5W                 | W2.1x9.5d                        | 26.8 mm | 10.0 mm  | 700 hr                      |

| Product description | Lifespan Tc                 | Certificates & standards | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                    |                                    |
|---------------------|-----------------------------|--------------------------|-----------------------------------------------------------------------------------------------------------------|------------------------------------|------------------------------------|
|                     |                             | ECE category             | Primary article identifier                                                                                      | Candidate list substance 1         | Declaration no. in SCIP database   |
| ULTRA LIFE C5W      | 4000 hr                     | C5W                      | 4008321415240   4062172394819   4008321415264   4008321413086   4052899419629                                   | No declarable substances contained | No declarable substances contained |
| ULTRA LIFE H6W      | 1000 hr                     | H6W                      | 4052899494039   4052899419681   4008321415325   4008321413178   4062172394796                                   | No declarable substances contained | No declarable substances contained |
| ULTRA LIFE P21/5W   | 800 / 6000 hr <sup>2)</sup> | P21/5W                   | 4008321415288   4062172394895   4008321413116   4008321415301                                                   | No declarable substances contained | No declarable substances contained |

Product family datasheet

|                                |                | Certificates<br>&<br>standards | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006<br>(REACH) |                                       |                                       |
|--------------------------------|----------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------|
| Product description            | Lifespan<br>Tc | ECE<br>category                | Primary article<br>identifier                                                                                      | Candidate list<br>substance 1         | Declaration no. in<br>SCIP database   |
| ULTRA LIFE P21W                | 1000 hr        | P21W                           | 4008321415141  <br>4062172394833  <br>4008321415349                                                                | No declarable<br>substances contained | No declarable<br>substances contained |
| ULTRA LIFE PY21W <sup>1)</sup> | 1000 hr        | PY21W                          | 4008321415165  <br>4062172394871  <br>4008321413147                                                                | No declarable<br>substances contained | No declarable<br>substances contained |
| ULTRA LIFE R10W                | 1200 hr        | R10W                           | 4062172394918  <br>4008321415226  <br>4008321416568  <br>4008321415400                                             | No declarable<br>substances contained | No declarable<br>substances contained |
| ULTRA LIFE R5W                 | 1200 hr        | R5W                            | 4008321415370  <br>4008321416537  <br>4008321415202  <br>4062172394772                                             | No declarable<br>substances contained | No declarable<br>substances contained |
| ULTRA LIFE W5W                 | 1500 hr        | W5W                            | 4062172394734  <br>4008321413024  <br>4008321415189                                                                | No declarable<br>substances contained | No declarable<br>substances contained |

<sup>1)</sup> Amber lamp for clear indicators

<sup>2)</sup> Filament 1

Product family datasheet

Download Data

| File                                                                              |                                                               |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------|
|  | User instruction<br>GPRS_Safety symbols instructions          |
|  | Addon Technical Information<br>Product Certificates AUX       |
|  | ref_pim_amsproduct360degreeimages<br>ULTRA LIFE C5W 6418ULT   |
|  | ref_pim_amsproduct360degreeimages<br>ULTRA LIFE P21W 7506ULT  |
|  | ref_pim_amsproduct360degreeimages<br>ULTRA LIFE PY21W 7507ULT |
|  | ref_pim_amsproduct360degreeimages<br>ULTRA LIFE R10W 5008ULT  |
|  | ref_pim_amsproduct360degreeimages<br>ULTRA LIFE R5W 5007ULT   |
|  | ref_pim_amsproduct360degreeimages<br>ULTRA LIFE W5W 2825ULT   |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

