

## PURITEC HNS Linear Lamps



---

### Areas of application

- Air & Water Purification
- Surface Disinfection

---

### Product features and benefits

- Effective and environment-friendly disinfection without chemicals
- High UV-C radiance at 254 nm
- Low mercury content
- Long lifetime due to special coating
- Ozone-free





---

HNS 4/55

Product family datasheet

Technical data

	Electrical Data		Physical Attributes & Dimensions	Lifetime Data
Product description	Nominal wattage	Nominal voltage	Lamp base	Nominal lifetime
HNS 4 W G5	4 W	29 V	G5	6000 hr
HNS 6 W G5	6 W	42 V	G5	8000 hr
HNS 8 W G5 G5	7 W	56 V	G5	8000 hr
HNS 15 W G13	15 W	55 V	G13	8000 hr
HNS 16 W G5	16 W	43.0 V	G5	8000 hr
HNS 25 W G13	25 W	46 V	G13	8000 hr
HNS 30 W G13	30 W	96 V	G13	9000 hr
HNS 36 W G13	36 W	103 V	G13	8000 hr
HNS 55 W G13	55 W	83 V	G13	8000 hr

## Product family datasheet

---

### Safety advice

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

---

### Application advice

For more detailed application information and graphics please see product datasheet.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.