

# XENARC COOL BLUE ADVANCE

Mega white light for off-road use



## Xenon mega white

Mega white light due to a special filling system used instead of conventional coating



## Up to 6,000 K

High contrast and most stylish look on the road



## Enhanced brightness

For better visibility and shorter reaction times compared to standard xenon lamps



## The mega white xenon light with up to 6,000 K

XENARC COOL BLUE ADVANCE convinces with mega white xenon light and high color temperatures of up to 6,000 K. This is due to a special filling system instead of conventional coating. These products do not have ECE approval. This means they must not be used on public roads. Please note: Use on public roads leads to cancellation of operating license and loss of insurance coverage. Not for sale in Germany.

Product family datasheet

Technical data

Product description	Electrical Data					Photometric Data
	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage	Nominal luminous flux
XENARC COOL BLUE ADVANCE D1S	35 W	85 V	35 W	±3 %	13.5 V	3200 lm
XENARC COOL BLUE ADVANCE D2S	35 W	85 V	35 W	±3 %	13.5 V	3200 lm
XENARC COOL BLUE ADVANCE D3S	35 W	42 V	35 W	±3 %	13.5 V	3200 lm
XENARC COOL BLUE ADVANCE D4S	35 W	42 V	35 W	±3 %	13.5 V	3200 lm

Product description	Luminous flux tolerance	Physical Attributes & Dimensions		
		Lamp base	Length	Diameter
XENARC COOL BLUE ADVANCE D1S	±15 %	PK32d-2	83.2 mm	9 mm
XENARC COOL BLUE ADVANCE D2S	±15 %	P32d-2	77.3 mm	9 mm
XENARC COOL BLUE ADVANCE D3S	±15 %	PK32d-5	83.2 mm	9 mm
XENARC COOL BLUE ADVANCE D4S	±15 %	P32d-5	77.3 mm	9 mm

Product description	Diameter	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
		ECE category	Primary article identifier	Candidate list substance 1
XENARC COOL BLUE ADVANCE D1S	9 mm	D1S <sup>1)</sup>	4052899988897   4052899989139	Lead
XENARC COOL BLUE ADVANCE D2S	9 mm	D2S <sup>1)</sup>	40528999888910   4052899989153	Lead
XENARC COOL BLUE ADVANCE D3S	9 mm	D3S <sup>1)</sup>	4052899989177   4052899988934	Lead
XENARC COOL BLUE ADVANCE D4S	9 mm	D4S <sup>1)</sup>	4052899989191   4052899988958	No declarable substances contained

Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
XENARC COOL BLUE ADVANCE D1S	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	23127931-47fc-43d7-8740-57b6eda6caec   d4e7389f-c16f-4833-8810-7f3302a5a169
XENARC COOL BLUE ADVANCE D2S	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3aeced05-59a5-4f34-8494-170faeced5b6   9539ce21-2f22-40cd-8b55-1f9b2a642232

Product family datasheet

Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
XENARC COOL BLUE ADVANCE D3S	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	29535ee4-0890-481f-aa94-f6bd90aaebea   35fe0a6a-b061-4c2b-8479-df7ea01b7d0d
XENARC COOL BLUE ADVANCE D4S			No declarable substances contained

1) To be operated only with approved electronic control gear

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

