Product family datasheet

LEDriving SL P21W YELLOW

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Amber



Replaces conventional P21W lamps Easy upgrade to LED technology with

plug & play solutions



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for P21W

LEDriving SL P21W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional P21W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Electrical Data					Photom etric Data
Product description	Power input	Nominal voltage	Nominal wattage	Power input toleranc e	Test voltage	Nominal luminou s flux
LEDriving SL \doteq P21W	1.8 W	12 V	1 W	±25 %	13.5 V	50 lm
	Physical Att	Physical Attributes & Dimensions				
Product description	Lamp base	Length	Diameter		Diameter	
LEDriving SL ≜ P21W	BA15s	52.5 mm	25.0 mm		25.0 mm	

	•				
LEDriving SL \triangleq P21W	BA15s	52.5 mm	25.0 mm	25.0 mm	
	Lifetime Data	Lifetime Data		atory Information \rt. 33 of EU 006 (REACh)	
Product description	Lifespan B3	Lifespan Tc	Primary article identifier	Candidate list substance 1	
LEDriving SL \triangleq P21W	1500 hr	4000 hr	4062172152228 4062172401357	Lead	

Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
LEDriving SL \doteq P21W	7439-92-1	The identification of the Candidate List	558ba419-9f08- 4a0e-b0ad-
		substance is	fa29ec684e7c
		sufficient to allow safe use of the	f893b2c4-9d2c-4d79- ac1d-e1942146ed73
		article.	actu-e19421406075

Product family datasheet

Download Data

File
User instruction GPRS_Safety symbols instructions
Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.