# **OSRAM**

# LEDinspect SLIM 500

# Inspectionlights





# Foldable lamp

High flexibility and diverse adjustment possibilities thanks to multi angle positioning



#### 500 Lumen

Three light functions - high with up to 500 lm, low with up to 250 lm and torchlight function with up to 70 lm



#### Protection class IP54 & IK07

Protection against the ingress of dust and splashing water according to IP54 and is tested for impact resistance according to IK07



#### 2-year OSRAM Guarantee

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



#### Light is versatile

This high-quality inspection light from OSRAM is perfect for professional and private use.

With three light functions - high with up to 500 lm, low with up to 250 lm and torchlight function with up to 70 lm- this light offers high flexibility and diverse adjustment possibilities. The ultra-flat design in combination with the multi-angle positioning -270° rotatable and 180° swiveling-allows the light beam to be directed exactly where it is needed.

The inspection light is rechargeable, and the integrated charge level indicator shows the current status of the battery. A USB Type-C charging cable and the

# Product family datasheet

corresponding power adaptor are included in the scope of supply. The LEDinspect SLIM 500 can be used for up to six hours at low power and up to four hours at high power. In accordance with IP54 protection rating, this inspection light has protection against ingress of particles with 1.0 mm and against splashing water and is tested for impact resistance in accordance with IK07. This LED light is easy to carry, has a non-slip and dirt-repellent surface, includes an integrated hook & magnets for hands-free work and easy attachment, making it ideal for craft activities, car repairs and everyday use. In addition, OSRAM provides a 2-year guarantee on this product\*.

# Product family datasheet

# Technical data

	Product information General Product Information		Electrical Dat	Electrical Data			
Product description	Application (Category and Product specific)	Global order reference		Nominal wattage		Nominal voltage	
INSPECTION LAMP	LED inspection lights	LEDIL403		9 W		3.7 V	
	Photometric Data				Physica Dimens	al Attributes & sions	
Product description	Color temperature	Nominal luminous flux		Light color LED	Product weight		
INSPECTION LAMP	CTION LAMP 5700 K 500 lm		White	155.00 g			
						LED module information	
Product description	Length	Width		Height		Number of LEDs per module	
INSPECTION LAMP	175.0 mm	45.0 mm		41 mm		2	
	Colors & materials	Lifetime Data	Addition	nal product data			
Product description	Base color	Guarantee	Type of Battery		Number of included batteries		
INSPECTION LAMP	Black / Orange	2 years	Recharg	jeable	1		
		Capabilities		Certificates & standards		Logistical data	
Product description	Scope of battery	Technology	IK Class		Watt hour per battery		
INSPECTION LAMP	Yes	LED	IK08		9.62		
	Environmental & Regul			(EC) 1907/2006	i (REACh)		
Product description	Candidate list substance 1	CAS No. of su	bstance	Safe use instr	uction	Declaration no. in SCIP database	
INSPECTION LAMP	Lead	7439-92-1		The identificathe Candidate substance is sufficient to a safe use of tharticle.	e List Illow	abf165c4-c2f3-4ed4- 83e9-757384ad2096	

# Product family datasheet

### Download Data

	File
<b></b>	User instruction LEDinspect SLIM 500
<b>X</b>	User instruction GPRS_Safety symbols instructions
O	Movie application LEDinspect Inspection Lights Trailer

## Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.