
OSRAM

LEDinspect UTILITY1000

Inspectionlights





Multi-Functional Lamp

High flexibility and diverse adjustment possibilities. Up to 180° ratcheting bases and up to 360° rotating body.



1000 lm

2 light functions: Up to 1000lm-high Up to 400lmlow For individually adjustable light settings



Magnetic Base & Rotatable Hook

Versatile mounting options



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

Light is versatile

Designed with versatility in mind, the UTILITY 1000 combines magnetic, 180° ratcheting base with a 360° rotating body. This means the inspectionlight can be used either freestanding or hands-free, positioned in any number of ways to ensure the work area is properly illuminated. With two light functions - high with up to 1000lm and low with up to 400lm - it produces a light output that can be matched to the task at hand.

This inspection light is ideal as a light for manual work, car repairs and everyday use. OSRAM also provides a 2-year guarantee on this product* Charging cable and mains

Product family datasheet



charger included.

Product family datasheet

Technical data

	Product information General Product Information		uct	Electrical Data			
Product description	Application (Category and Product specific)	Global order reference		Nominal wattage		Nominal voltage	
INSPECTION LAMP	LED inspection lights	LEDIL407		19 W		7.4 V	
	Photometric Data				Physica Dimens	al Attributes & sions	
Product description	Color temperature	Nominal luminous flux		Light color LED	Product weight		
INSPECTION LAMP	6500 K	1000 lm		White	490.00 g		
						LED module information	
Product description	Length	Width		Height		Number of LEDs per module	
INSPECTION LAMP	500.0 mm	41.0 mm		48.0 mm		1	
	Colors & materials	Lifetime Data	Additional product data				
Product description	Base color	Guarantee	, r		Number batteries	of included s	
INSPECTION LAMP	Black / Orange	2 years	Recharg	eable	1		
		Capabilities	Certificates & standards		Logistical data		
Product description	Scope of battery	Technology	IK Class		Watt h	our per battery	
INSPECTION LAMP	Yes	LED	IK07		9.62		
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)						
Product description	Candidate list substance 1	CAS No. of su	bstance	Safe use instruction		Declaration no. in SCIP database	
INSPECTION LAMP	Lead	7439-92-1		The identificathe Candidate substance is sufficient to a safe use of the article.	List	12140b2a-ec70- 4b9c-9c15- 9b33a359d5fe	

Product family datasheet

Download Data

File



User instruction

LEDinspect UTILITY 1000 LEDIL407



User instruction

GPRS_Safety symbols instructions

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.