

## LEDDriving SLT W5W

LEDDriving interior lamps for trucks




**LED replacement lamp with a color temperature of up to 6,000 K**

Modern and intense uniform illumination



**Replaces all conventional W5W 24 V lamp bases**

Easy upgrade to LED technology with plug & play solution



**Reliable OSRAM quality stands for less lamp replacements**

4-year OSRAM guarantee (refer to [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee) for precise conditions)



### Suitable LED replacement for W5W

LEDDriving SLT W5W replacement lamps offer a modern and intense light with a cool white color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional W5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDDriving SLT lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

| Product description         | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                            |                        |                                                                                                    |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------|----------------------------|------------------------|----------------------------------------------------------------------------------------------------|
|                             | Primary article identifier                                                                                      | Candidate list substance 1 | CAS No. of substance 1 | Safe use instruction                                                                               |
| LEDDriving PREMIUM SL ≙ W5W | 4062172401814  <br>4062172369626  <br>4062172369657                                                             | Lead                       | 7439-92-1              | The identification of the Candidate List substance is sufficient to allow safe use of the article. |

| Product description         | Declaration no. in SCIP database                                                                                         |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------|
| LEDDriving PREMIUM SL ≙ W5W | ce57cdf7-4612-4bc6-936c-acced2979e56  <br>0aec2c32-bfb2-4cfc-8951-8fb05a649714  <br>2fc75916-b507-420f-9a91-f93bb4a83a35 |

Download Data

| File                                                                              |                                                            |
|-----------------------------------------------------------------------------------|------------------------------------------------------------|
|  | User instruction<br>GPRS_Safety symbols instructions       |
|  | Brochures<br>LEDriving Retrofits - Exchange overview (EN)  |
|  | Brochures<br>Sales Folder LEDriving replacement lamps (EN) |

**Safety advice**  
Application advice:For more detailed application information and graphics please see product datasheet and user manual.

**Application advice**  
For more detailed application information and graphics please see product datasheet.

**Disclaimer**  
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

