

# XENARC COOL BLUE ADVANCE

Mega white light for off-road use





#### Xenon mega white

Mega white light due to a special filling system used instead of conventional coating



### Up to 6,000 K

High contrast and most stylish look on the road



#### **Enhanced brightness**

For better visibility and shorter reaction times compared to standard xenon lamps



## The mega white xenon light with up to 6,000 K

XENARC COOL BLUE ADVANCE convinces with mega white xenon light and high color temperatures of up to 6,000 K. This is due to a special filling system instead of conventional coating. These products do not have ECE approval. This means they must not be used on public roads. Please note: Use on public roads leads to cancellation of operating license and loss of insurance coverage. Not for sale in Germany.

# Technical data

	Electrical	Data	Photometric Data		
Product description	Power input	Nominal voltage	Nominal wattage	Test voltage	Nominal luminous flux
XENARC COOL BLUE ADVANCE D1S	35 W	85 V	35 W	13.5 V	3200 lm
XENARC COOL BLUE ADVANCE D2S	35 W	85 V	35 W	13.5 V	3200 lm
XENARC COOL BLUE ADVANCE D3S	35 W	42 V	35 W	13.5 V	3200 lm
XENARC COOL BLUE ADVANCE D4S	35 W	42 V	35 W	13.5 V	3200 lm

		Physical Attributes & Dimensions	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)
Product description	Luminous flux tolerance	Diameter	ECE category	Primary article identifier
XENARC COOL BLUE ADVANCE D1S	±15 %	9 mm	D1S <sup>1)</sup>	4052899988897   4052899989139
XENARC COOL BLUE ADVANCE D2S	±15 %	9 mm	D2S <sup>1)</sup>	4052899988910   4052899989153
XENARC COOL BLUE ADVANCE D3S	±15 %	9 mm	D3S <sup>1)</sup>	4052899989177   4052899988934
XENARC COOL BLUE ADVANCE D4S	±15 %	9 mm	D4S <sup>1)</sup>	4052899989191   4052899988958

Product description	Candidate list substance 1	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
XENARC COOL BLUE ADVANCE D1S	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	23127931-47fc- 43d7-8740- 57b6eda6caec   d4e7389f-c16f-4833- 8810-7f3302a5a169
XENARC COOL BLUE ADVANCE D2S	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3aeced05-59a5-4f34- 8494-170faeced5b6   9539ce21-2f22-40cd- 8b55-1f9b2a642232
XENARC COOL BLUE ADVANCE D3S	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	29535ee4-0890- 481f-aa94- f6bd90aaebea   35fe0a6a-b061-4c2b- 8479-df7ea01b7d0d
XENARC COOL BLUE ADVANCE D4S	No declarable substances contained			No declarable substances contained

1) To be operated only with approved electronic control gear

### Download Data

File



User instruction
GPRS\_Safety symbols instructions

# **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















